

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/14/2014  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>15G410</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b>  <b>11/06/2014</b>
NAME OF PROVIDER OR SUPPLIER  <b>TRANSITIONAL SERVICES SUB LLC</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>103 E HANCOCK</b> <b>MITCHELL, IN 47446</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
W 000	<p>INITIAL COMMENTS</p> <p>This visit was for an investigation of Complaint #IN00157040.</p> <p>Complaint #IN00157040: Substantiated; no deficiencies related to the allegation(s) were cited.</p> <p>Date of Survey: November 6, 2014.</p> <p>Surveyor: Dotty Walton, QIDP.</p> <p>Facility Number: 000924 AIM Number: 100244510 Provider Number: 15G410</p> <p>Transitional Services Sub LLC was found to be in compliance with 42 CFR, part 483, subpart I and 460 IAC 9 regarding the investigation of Complaint #IN00157040.</p> <p>Quality Review completed 11/13/14 by Ruth Shackelford, QIDP.</p>	W 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.